




Custom Interior Doors Exceptional Quality and Value







COMBINED PANEL DOORS

Most doors are configured from these traditional panel combinations, with many variations possible. Let us create a drawing to help you visualize the details of your custom doors. We can easily modify designs, proportions, or substitute glass in any of the panels.




















OW100








OW105

OW306





OW309







OW319





OW324





OW423





OW608

OW800


OW304


OW400

OW505


OW401

OW405





OW602



OW605

OVER 25 SPECIES OF WOOD

OW506

Our on-site lumber warehouse is stocked with premium hardwoods, including rustic and quarter-sawn varieties. We also have wood sources for species not listed here.

Ash • African Mahogany • Alder • Beech • Birch • Brazilian Cherry • Cedar • Cherry • Cumaru • Genuine Mahogany • Hard Maple • Hickory • Ipe • Lyptus • Poplar • Red Oak • Santos Mahogany • Sapele • Soft Maple • Tigerwood • Walnut • White Oak • White Pine • Yellow Pine • Quartersawn Red or White Oak • Rift-sawn Red or White Oak




OW203

OW315




FRENCH DOORS

The beauty of true divided light; shown are just a few of the many possible designs. Choose clear or decorative glass in a variety of textures and transparencies.




DOOR PANEL PROFILES

Raised Panels: 1-1/16" thick for 1-3/4" doors; 3/4" thick for 1-3/8" doors



DOOR HANDING

These diagrams can be helpful when determining the handing of single and double doors.



Copyright © 2023 Timberline Custom Doors, a Division of Old World Millworks



Custom Interior Doors

Old World Millworks is pleased to offer our own line of custom interior doors--Timberline Custom Doors. Full of affordable options, these finely crafted doors are offered in a variety of wood species.





Authorized Dealer

- Door thickness: 1-3/4" (1-3/8" also available)
- Raised panel thickness: 1-1/16" (3/4" on 1-3/8" doors)
- Flat panel thickness: 1/2" (1/4" on 1-3/8" doors)
- 4-1/2" stiles, with 5-1/2" top and 8-1/2" bottom rails standard (options available)
- Solid laminated rails and raised panels
- Solid V-groove flat or raised panels available
- Smooth flat panels in species-matching plywood
- Engineered Timberstrand[™] core stiles
- Slab or pre-hung
- No minimum quantity required

Hardware

• 4" x 4" square-corner plain-bearing steel hinges for 1-3/4" doors available in several finishes (3-1/2" x

3-1/2" on 1-3/8" doors.) Ball-bearing upgrades optional.

- Standard hardware prep includes square corner rectangular mortise edge prep and full lip strike prep.
- Optional edge preps include rectangular radius, square corner, or full mortise preps.



www.timberlinecustomdoors.com

A Division of Old World Millworks 5N200 Wooley Rd. Maple Park IL 60151 847-717-6010 Toll-Free 877-653-9753

The information shown is subject to change without notice.